

DARBY & DARBY P.C.

805 Third Avenue
New York, New York 10022
(212) 527-7700

TELECOPIER: (212) 753-6237
TELEX: 236687

Date: April 29, 1996

Attorney Docket No.: 2338/08419

TELECOPIER TRANSMISSION COVER SHEET

RECEIVED
MAY 17 1996
GROUP 1800

Phone Number Transmitting To: 1-703-305-3598 or
1-703-305-3597

To: **United States Patent and Trademark Office**

Examiner: Examiner Andrea L. Pitts

Group Art Unit: 3502

Paper(s) Being Transmitted: **AMENDMENT**

Number of Pages Being Transmitted (including cover): **4**

FAX COPY RECEIVED
APR 29 1996
GROUP 3502

CERTIFICATION OF FACSIMILE TRANSMISSION

Serial No.: 08/135,059

Filed: 10/12/93

I hereby certify that these papers are being facsimile transferred to the United States Patent and Trademark Office on the date shown below.

Erma Gualano

Name

April 29, 1996

Date

Erma Gualano
Signature

M:10000100920UKA80603

4/25/96
35X
Pitts

2338/08419

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	Roland SEEBACHER et al.
Serial No.	08/135,059
Filed	10/12/93
For	POWER TRANSMITTING APPARATUS WITH FLUID COUPLING
Art Unit	3502
Primary Examiner	Ms. Andrea L. Pitts

A M E N D M E N T

Hon. Commissioner of Patents
and Trademarks
Washington, D.C. 20231

FAX COPY RECEIVED
APR 3 1996
GRAND 4400

Sir:

In further response to the Official Action of December 8, 1995, and supplementary to the Paper dated April 12, 1996, please amend the above referenced patent application as follows:

In the claims:

Claim 32, line 4, change "input" to --driven--.

Amend the claim 48 as follows:

- 1 --48. (AMENDED) Power transmitting apparatus
- 2 comprising a fluid coupling including at least one housing
- 3 having an axis of rotation and connectable with a rotary
- 4 [output] driving device, at least one impeller disposed in

5 and driven by said at least one housing when said housing
6 is driven by said driving device, and at least one runner
7 disposed in said at least one housing and connectable with
8 a rotary [input] driven device; a rotary output element con-
9 nnectable with said driven device; and damper means including
10 at least two torsionally elastic dampers in a power train
11 between said at least one housing and said output element,
12 each of said at least two dampers including at least one
13 energy storing element acting in a circumferential direction
14 of said at least one housing, the at least one energy storing
15 element of one of said at least two dampers being disposed
16 in a power train between said at least one runner and said
17 output element and being spaced apart from and disposed
18 radially outwardly of said axis, the at least one energy
19 storing element of the other of said at least two dampers
20 being disposed in a power train between said at least one
21 housing and said at least one runner.--.

Appeal. May 10, 1998 was a Sunday. Receipt of such Request is acknowledged in Paper dated July 21, 1998 a copy of which is enclosed.

(3) The Paper dated July 21, 1998 contains two obvious inaccuracies, namely:

(a) This Paper (hereinafter called Notice) states that the Continued Prosecution Application (CPA) request was deposited on April 21, 1998. Such request was filed by facsimile on May 11, 1998. Enclosed are copies of seven printouts indicating that the telefax machine in Group 3500 did not function properly and was incapable of accepting more than 18 pages in a single pass.

(b) The Notice of July 21, 1998 contains the statement that the prior application (Serial No. 08/135,059 was abandoned, or proceedings terminated on May 29, 1998.

Thus, the Notice acknowledges receipt of the Request for CPA on April 21, 1998 (this should be May 11, 1998), and the same Notice contains the statement tha the application was abandoned on May 29, 1998.

(4) Upon receipt of the Notice dated July 21, 1998, the undersigned contacted the Patent Examiner Mr. Rodriguez in an effort to clarify the aforescussed contradictory statements. Mr. Rodriguez informed the